

DISCOVER PURE SOUND

Stinger provides premium interconnects, amplifier wiring kits, superior power support, high performance batteries and car audio accessories to upgrade a vehicles sound system.

Stinger is designed and engineered to achieve the highest performance from audio components, for precision sound reproduction making it the ideal product to team with DLS audio.



ELIMINATES NOISE

Stinger Roadkill reduces a massive amount of unwanted resonating noise (panel vibrations, road noise, exhaust, engine noise & vibration) allowing your audio system to sound even louder and with more clarity and definition. The Roadkill Fast Rings kit increases speaker output, improves the projection of the audio into the car cabin and reduces unwanted rear reflections that can degrade the sound.



HIGH PERFORMANCE

THE STINGER LINEUP

- INTERCONNECTS
- POWER & SPEAKER CABLE
- AMPLIFIER WIRING KITS
- BATTERIES
- INSTALLATION ACCESSORIES

THE ROADKILL LINEUP

SOUND DAMPING

FAST RINGS









Stinger is a Power Brand of AAMP Global.

stingerelectronics.com

6000 series wiring kits

Available in Power and Complete (power + signal) Kits, Stinger's 6000 Series Wiring kits have all the essentials for a professional installation. Featuring 100% oxygen-free tinned copper for a pure, uninterrupted transfer of power. Tru-spec cables/wires meet or exceed the industry standard of copper required for the gauge size.

SK6201

1/0GA Power Wiring Kit

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 4000 WATTS OR 300 AMPS





Kit Includes:

- 18ft./5.5m Matte Blue Hyper-Twist 1/0GA Power Wire
- •3ft./0.9m Matte Clear Hyper-Twist 1/0GA Ground Wire
- •17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- •SHD201 Water-Resistant ANL Fuse-Holder
- •300 Amp Shoc-Krome ANL Fuse
- •1/0GA Crimp Ring Terminals Pre-Installed Stinger Metal Installation Badge
- •16GA Blue Butt Connector
- •1/0GA Snap-In Protective Firewall Grommet
- Self-Drilling Mounting Screws
- (10) 7"/17.8cm Wire Ties

SK6241

4GA Power Wiring Kit

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 1750 WATTS OR 175 AMPS



Kit Includes:

- •18ft./5.5m Matte Blue Hyper-Twist 4GA Power Wire
- •3ft./0.9m Matte Clear Hyper-Twist 4GA Ground Wire
- 17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- •SHD801 Water-Resistant Mini-ANL (MIDI) Fuse-Holder
- •175 Amp Shoc-Krome Mini-ANL (MIDI) Fuse
- •4GA Crimp Ring Terminals Pre-Installed •Stinger Metal Installation Badge
- •16GA Blue Butt Connector
- •4GA Snap-In Protective Firewall Grommet
- Self-Drilling Mounting Screws
 (10) 7"/17.8cm Wire Ties

SK6281

8GA Power Wiring Kit

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 800 WATTS OR 70 AMPS





- 18ft./5.5m Matte Blue Hyper-Twist 8GA Power Wire
- •3ft./0.9m Matte Clear Hyper-Twist 8GA Ground Wire •17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- SHD801 Water-Resistant Mini-ANL (MIDI) Fuse-Holder
 70 Amp Shoc-Krome Mini-ANL (MIDI) Fuse
- 8GA Crimp Ring Terminals Pre-Installed
 Stinger Metal Installation Badge
- •16GA Blue Butt Connector

Complete Wiring Kits: Power & Signal

SK6641

4GA Complete Wiring Kit (power + signal + speaker wire)

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 1750 WATTS OR 175 AMPS



Kit Includes:

- 18ft./5.5m Matte Blue Hyper-Twist 4GA Power Wire
- •3ft./0.9m Matte Clear Hyper-Twist 4GA Ground Wire
- 17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- •(1) 17ft./5.2m 6000 Series 2-Channel Audio Interconnect (SI6217)
- •30ft./9.1m Matte Blue Hyper-Twist 16 Gauge Speaker Wire
- •SHD801 Water-Resistant Mini-ANL (MIDI) Fuse-Holder
- •175 Amp Shoc-Krome Mini-ANL (MIDI) Fuse
- 4GA Crimp Ring Terminals Pre-Installed
- Stinger Metal Installation Badge
- •16GA Blue Butt Connector
- •4GA Snap-In Protective Firewall Grommet
- Self-Drilling Mounting Screws
- •(10) 7"/17.8cm Wire Ties

SK6681

8GA Complete Wiring Kit (power + signal + speaker wire) DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 800 WATTS OR 70 AMPS





- 18ft./5.5m Matte Blue Hyper-Twist 8GA Power Wire
- •3ft./0.9m Matte Clear Hyper-Twist 8GA Ground Wire •17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- (1) 17ft./5.2m 6000 Series 2-Channel Audio Interconnect (Sl6217)
 SHD801 Water-Resistant Mini-ANL (MIDI) Fuse-Holder
 70 Amp Shoc-Krome Mini-ANL (MIDI) Fuse

- *8GA Crimp Ring Terminals Pre-Installed
 *Stinger Metal Installation Badge
- •16GA Blue Butt Connector
- •8GA Snap-In Protective Firewall Grommet
- Self-Drilling Mounting Screws
 (10) 7"/17.8cm Wire Ties

4000 series wiring kits

Available in Power and Complete (power + signal) Kits, Stinger's 4000 Series Wiring kits have all the essentials for a professional installation. Featuring 100% oxygen-free tinned copper for a pure uninterrupted transfer of power. Tru-spec cables/wires meet or exceed the industry standard of copper required for the gauge size.

SK4201

1/0GA Power Wiring Kit

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 3400 WATTS OR 250 AMPS





Kit Includes:

- •18ft./5.5m Matte Red Hyper-Twist 1/0GA Power Wire
- •3ft./0.9m Matte Black Hyper-Twist 1/0GA Ground Wire
- •17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- •SPD5201 ANL Fuse-Holder
- •250 Amp Shoc-Krome ANL Fuse
- •1/0GA Crimp Ring Terminals Pre-Installed
- •16GA Blue Butt Connector
- •1/0GA Snap-In Protective Firewall Grommet
- Self-Drilling Mounting Screws
- (10) 7"/17.8cm Wire Ties

SK4241

4GA Power Wiring Kit

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 1500 WATTS OR 150 AMPS





Kit Includes:

- 18ft./5.5m Matte Red Hyper-Twist 4GA Power Wire
- •3ft./0.9m Matte Black Hyper-Twist 4GA Ground Wire
- 17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- •SPD5801 Mini-ANL (MIDI) Fuse-Holder
- •150 Amp Shoc-Krome MIDI Fuse
- •4GA Crimp Ring Terminals Pre-Installed
- •16GA Blue Butt Connector
- •4GA Snap-In Protective Firewall Grommet
- Self-Drilling Mounting Screws (10) 7"/17.8cm Wire Ties

SK4281

8GA Power Wiring Kit

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 600 WATTS OR 60 AMPS





- 18ft./5.5m Matte Red Hyper-Twist 8GA Power Wire
- •3ft./0.9m Matte Black Hyper-Twist 8GA Ground Wire •17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- •SPD5101 AGU Fuse-Holder •60 Amp AGU Fuse
- 8GA Crimp Ring Terminals Pre-Installed
 16GA Blue Butt Connector
- •8GA Snap-In Protective Firewall Grommet
- Self-Drilling Mounting Screws(10) 7"/17.8cm Wire Ties

4000 series wiring kits

Complete Wiring Kits: Power & Signal

SK4641

4GA Complete Wiring Kit (power + signal)

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 1500 WATTS OR150 AMPS





Kit Includes:

- 18ft./5.5m Matte Red Hyper-Twist 4GA Power Wire
- •3ft./0.9m Matte Black Hyper-Twist 4GA Ground Wire
- •(1) 17ft./5.2m 4000 Series 2-Channel Audio Interconnect (SI4217)
- 17ft./5.2m Matte Blue 18GA Remote Turn-On Wire SPD5801 Mini-ANL (MIDI) Fuse-Holder
- •150 Amp Shoc-Krome MIDI Fuse
- 4GA Crimp Ring Terminals Pre-Installed
 16GA Blue Butt Connector
- •4GA Snap-In Protective Firewall Grommet
- •Self-Drilling Mounting Screws
- •(10) 7"/17.8cm Wire Ties

SK4681

8GA Complete Wiring Kit (power + signal)

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 600 WATTS OR 60 AMPS





Kit Includes:

- 18ft./5.5m Matte Red Hyper-Twist 8GA Power Wire
- •3ft./0.9m Matte Black Hyper-Twist 8GA Ground Wire
- •(1) 17ft./5.2m 4000 Series 2-Channel Audio Interconnect (SI4217)
- •17ft./5.2m Matte Blue 18Ga Remote Turn-On Wire
- •SPD5101 AGU Fuse-Holder
- 60 Amp AGU Fuse
- •8GA Crimp Ring Terminals Pre-Installed
- •16GA Blue Butt Connector
- •8GA Snap-In Protective Firewall Grommet
- Self-Drilling Mounting Screws
- (10) 7"/17.8cm Wire Ties

SK46101

10GA Complete Wiring Kit (power + signal)

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 300 WATTS OR 30 AMPS






- 18ft./5.5m Matte Red Hyper-Twist 10GA Power Wire
- •3ft./0.9m Matte Black Hyper-Twist 10GA Ground Wire
- •(1) 17ft./5.2m 4000 Series 2-Channel Audio Interconnect (SI4217)
- 17ft./5.2m Matte Blue 18Ga Remote Turn-On Wire
 Water-Resistant ATC Fuse-Holder

- •30 Amp ATC Fuse
 •10GA Crimp Ring Terminals Pre-Installed
- •16GA Blue Butt Connector
- 10GA Snap-in Protective Firewall Grommet
 Self-Drilling Mounting Screws
 (10) 7"/17.8cm Wire Ties

6000 series interconnects

Stinger offers peak performance interconnects that are flexible and look great even in highly complicated installations.

- •Stinger Audiophile Grade Design Improves Sound Quality, Noise Rejection, and Offers Easy Installation
- Oversized OFC Conductors Provide Excellent Sound Quality
- Continuous Connection Construction (C3 Tech) Provides Unmatched Signal Transfer
- Mylar Shielding for Increased Noise Rejection
- Directional Twisted-Pair Construction Provides Protection against Interference
- Split-Tip Machined Metal Connector Allows Better Signal Transfer
- •Twisted Pair Winding Patterns Improve Clarity and Broaden Dynamic Range
- Blue Protective Jacket Looks Great and Minimizes Friction for Easy Install
- Molded Strain Reliefs for Excellent Durability
- •3 Conductors per Channel for a Total of 6 Conductors (2 Channels)
- •Color Coded Channel Identification





2-CHANNEL INTERCONNECTS

6000 SERIES RANGE

\$16220: Length: 20Ft/6.1m \$16217: Length: 17Ft/5.2m \$16212: Length: 12Ft/3.7m \$1626: Length: 6Ft/1.8m \$1623: Length: 3Ft/0.9m

4-CHANNEL INTERCONNECTS

\$16420: Length: 20Ft/6.1m \$16417: Length: 17Ft/5.2m \$16412: Length: 12Ft/3.7m

Y CONNECTORS

SI62YF: 2 female - 1 male SI62YM: 2 male - 1 female

Directional High Rate Twisted-Pair, Shielded Construction

Mylar Foil Shield


Precision Machined Metal, Split-Tip RCA

Continuous Connection Construction (C3 Tech)

4000 series interconnects

- •Stinger Audiophile Grade Design Improves Sound Quality, Noise Rejection, and Offers Easy Installation
- Oversized OFC Conductors Provide Excellent Sound Quality
- Continuous Connection Construction (C3 Tech) Provides Unmatched Signal Transfer
- Split-Tip Connector Allows Better Signal Transfer
- •Stinger Audiophile Grade Design Improves Sound Quality, Noise Rejection, and Offers Easy Installation
- Compact Connector Design for Easy Installation
- •Twisted Pair Winding Patterns Improve Clarity and Broaden Dynamic Range
- Minimalistic Clear Protective Jacket Looks Great and Minimizes Friction for Easy Install
- Molded Strain Reliefs for Extra Durability
- Directional Twisted-Pair Construction Provides Protection against Interference
- Stingers Proprietary Shoc-Krome-Plated Connectors for Excellent Signal Transfer
- Color Coded Channel Identification





4000 SERIES RANGE

2-CHANNEL INTERCONNECTS

\$14220: Length: 20Ft/6.1m \$14217: Length: 17Ft/5.2m \$14215: Length: 15Ft/4.6m \$14212: Length: 12Ft/3.7m \$1429: Length: 9Ft/2.7m \$1426: Length: 6Ft/1.8m \$1423: Length: 3Ft/0.9m \$1421.5: Length: 1.5Ft/0.5m

SI42YF: Length: 2 female - 1 male

SI42YM: 2 male - 1 female

4-CHANNEL INTERCONNECTS

\$14420: Length: 20Ft/6.1m \$14417: Length: 17Ft/5.2m \$14412: Length: 12Ft/3.7m

6-CHANNEL INTERCONNECTS

\$14620: Length: 20Ft/6.1m \$14617: Length: 17Ft/5.2m \$14612: Length: 12Ft/3.7m

3.5mm TO RCA

\$1436: Length: 6Ft/1.8m \$1433: Length: 3Ft/0.9m

3.5mm TO 3.5mm

\$1416: Length: 6Ft/1.8m \$1413: Length: 3Ft/0.9m

AUDIO/VIDEO

\$14920: Length: 20Ft/6.1m \$14917: Length: 17Ft/5.2m \$14912: Length: 12Ft/3.7m \$1496: Length: 6Ft/1.8m \$1493: Length: 3Ft/0.9m

VIDEO

\$14820: Length: 20Ft/6.1m \$14817: Length: 17Ft/5.2m \$14812: Length: 12Ft/3.7m \$1486: Length: 6Ft/1.8m \$1483: Length: 3Ft/0.9m

RoadKill ULTIMATE

RoadKill Ultimate combines the benefits of our Expert aluminum/butyl material and Overkill acoustic foam to create the Ultimate noise killer. The combination of these two products will more than double the results than when used on their own.

Reduce a massive amount of unwanted resonating noise (panel vibrations, road noise, exhaust, engine noise & vibration) allowing your audio system to sound even louder and with more clarity and definition.

Features:

- Improves overall audio frequency response and bass output
- Kills panel resonance, squeaks and rattles
- Self-adhesive for easy installation
- Use on all metal panels, doors, roof, floor, firewall & trunk
- Highest damping vs. weight ratio of any material available
- Waterproof


	RoadKill Ultimate
Minimum Thickness	5.5mm
Weight	0.55lbs/ft²
Aluminum Layer	3 mil
Foam Laver	2 mil

ROADKILL ULTIMATE DNA

Acoustic foam outer layer that absorbs and diffuses high frequency sounds, acts as a thermal barrier, and absorbs soundwaves that are otherwisetrapped inside the empty space behind door panels.

Aluminum middle layer helps with heat dissipation.

Proprietary, ultra-dense butyl blend bottom layer absorbs acousticalenergy that causes unwanted rattles and reduc vibrations.





Ultimate Universal Kit

RKU8

8 sq-ft total 2/pack (18" x 32")



Ultimate Bulk Pack RKU36

36 sq-ft total 9/pack (18" x 32")

RoadKill EXPERT

Features:

- · Aluminum outer layer
- Self-adhesive
- Easy installation
- Use on all metal panels, doors, roof, floor, firewall & trunk
- Kills panel resonance, squeaks and rattles
- Highest damping vs. weight ratio of any material available
- Improves overall audio frequency response and bass output

RoadKill Expert Minimum Thickness 0.080in Weight 0.65lbs/ft² Aluminum Layer 6 mil











Bulk Pack RKX36B 36 sq-ft. total 9/pack (18" x 32")



10/pack (12" x 24"))











Door Kit RKXDK 12 sq-ft total 6/pack (12" x 24") Speaker Kit RKXSK 1.7 sq-ft 2/pack (10" x 12") **Universal Kit** RKX4 4 sq-ft total 2/pack (12" x 24") License Plate Kit RKXLIC Includes frame (4" x 12" + 2" x 6")

RoadKill STEALTH

RoadKill Stealth

Features:

- •Stealth black aluminum
- •Lightweight construction
- Self-adhesive
- · Easy installation
- •Similar performance to Expert Series
- •25% Less weight



Minimum Thickness

1.55mm

Weight

0.45lbs/ft²

Aluminum Layer

2 mil

Stealth Bulk Pack RKST36B

36 sq-ft. total 9/pack (18" x 32") Stealth Speaker Kit RKSTSK

1.7 sq-ft. 2/pack (10" x 12")

RoadKill Fast Rings

FAST RINGS - Enhance the sound of any speaker!

Our 3-piece foam ring speaker enhancement system solves the problem of acoustically coupling aftermarket speakers to factory speaker openings. The RoadKill Fast Rings kit increases speaker output, improves the projection of the audio into the car cabin and reduces unwanted rear reflections that can degrade the sound.



fits 6" and 6.5" Speakers

RKFR69 fits 6 x 9" Speakers

fits 5" and 5.25" Speakers

RKFR5768 fits 5 x 7" and 6 x 8" Speakers



Includes:


- 1. Circular foam pad goes behind the speaker to absorb unwanted reflections on hard surfaces, such as inside a car door 2. Middle ring to mount around the outer edge of the speaker
- 3. Gasket for speaker mounting to the baffle plate surface

SPEAKER STANDING WAVE RINGS

Eliminate distortion and improve bass response with one quick-step by installing Stinger RoadKill Speaker Standing Wave Rings. Stinger RoadKill Speaker Standing Wave Rings absorb and deflect rear energy from the back of the speaker, keeping the energy from returning and interfering with the front wave output. The easy peel and stick adhesive allows for fast, clean installation when adding these rings to speaker installs, while the egg crate acoustic foam decreases distortion and increases bass response.

RKSP2 2/Pack (130mm ea) Black foil roll Waterproof





Without Wave Rings, standing waves are reflected, diminishing sound quality.



With Wave Rings, the energy is absorbed, delivering pure sound.