

MAC MOBIL STREET SUB 108 A

SUBWOOFER



MAC MOBIL STREET SUB 108 A



powered
subwoofer



SUBWOOFER

MAC MOBIL STREET SUB 108 A**FEATURES**

- 8" woofer with 22oz high-power magnet system and 1.5" double voice-coil
- High efficiency class-D amplifier module with a power output of 200 watts max
- Volume continuously variable
- Variable phase control 0 – 180°
- Low pass continuously variable 90 – 190 Hz
- High level and low level inputs
- High level input with auto turn-on function
- Bassreflex cabinet with MDF baffle
- Airflow-optimised reflex port
- Loudspeaker fixed with metrical screws
- Solid protection grille
- Anti skid carpet

SUBWOOFER

MAC MOBIL STREET SUB 108 A

Principle	8" powered bassreflex subwoofer	
Max. power output (sine burst 2:8, 1 kHz) at 14.4V	200 watts	
RMS power output (DIN 45 324) at 14.4V	80 watts	
Frequency Response	26 – 190 Hz	
Supply voltage	12 V	
Input sensitivity	low level	200 mV
	high level	600 mV
Input impedance	low level	10 kOhm
	high level	500 Ohm
Fuse value	7.5 A	
Dimensions (WxHxD/D)	355 x 275 x 292/265 mm	
Weight	7,35 kg	

SUBWOOFER